



## Description


Pendant 150 ARC is a versatile ambient & house light perfectly suitable as pendant lighting for halls, offices, theaters, desks, etc... Also declined in RGB+Lime

## Features

- 1 x COB 150W
- RGBL
- 11370 lm
- CRI>85
- Aperture 25°
- 8/16 bits linear dimmer
- Suspended installation (removable mounting yoke)
- DMX Loss modes : On, Off or macros
- Custom RAL on request
- Die-cast aluminium
- Black finish
- DMX modes : 1, 2 or 4 channels
- DMX breakout cables
- Power supply IN breakout cables




## Drawings



## Specifications

<b>Product type</b>	Architectural, pendant light
<b>Order code</b>	OPENDANT150ARC
<b>Colour spectrum</b>	RGBL
<b>Number of LEDs</b>	1
<b>LED type</b>	COB 150W
<b>Beam angle</b>	25°
<b>Optional filters</b>	YES
<b>Zoom</b>	NO
<b>CCT control</b>	NO
<b>Luminous flux (lm)</b>	11370
<b>CRI</b>	>85
<b>DMX mode</b>	3
<b>DMX channels</b>	1/2/4
<b>Control</b>	DMX512, RDM
<b>Display</b>	LED
<b>Operating consumption</b>	100–240 VAC, 50-60 Hz
<b>Power consumption</b>	150 W @ max
<b>DMX Connectors</b>	Breakout DMX XLR cables (IN/OUT)
<b>Type</b>	Indoor & Outdoor
<b>Protection class</b>	IP66
<b>Power supply connector</b>	Breakout power supply cable (IN) (L=150cm)
<b>Housing and colour</b>	Die cast aluminium, black
<b>Cooling</b>	Natural convection and cooling fan
<b>Weight</b>	5,20KG
<b>Dimensions l x w (mm)</b>	319 x 196
<b>Warranty</b>	5 years

**Overview**




- 1. Power supply IN (wire length 1,5 m)
- 2. DMX IN (wire length 1,5 m)
- 3. DMX OUT (wire length 1,5 m)
- 4. Touch buttons "Mode / Down / Up / Enter"
- 5. Display

**Accessories**



Filter



Honey-comb



Snoot



Barn door



Yoke

**More about**



**User manual & DMX Chart**

