



## Description


Robust and powerful RGBW COB architectural LED fixture delivering up to 180W, Colorzoom 180 comes with a motorized zoom from 10° to 53° and IP66 protection.

## Features

- 180W COB
- RGBW
- Zoom 10° to 53°
- Disengageable zoom
- Up to 4 900 lumens
- White macros (2700K to 8000K)
- Color macros (LEE FILTER calibration)
- IP66 protection
- Die-cast aluminium
- OLED screen with 4-digit buttons
- DMX512, RDM
- DMX Modes : 6, 9 or 14 channels
- DMX breakout cables
- Power supply IN breakout cables




## Drawings



## Specifications

<b>Product type</b>	Architectural LED fixture
<b>Order code</b>	OCZOOM180ARC
<b>Colour spectrum</b>	RGBW
<b>Number of LEDs</b>	1
<b>LED type</b>	COB 180W
<b>Beam angle</b>	10° to 53°
<b>Optional filters</b>	NO
<b>Zoom</b>	YES (disengageable)
<b>CCT control</b>	YES
<b>Luminous flux (lm)</b>	4900
<b>CRI</b>	NC
<b>DMX modes</b>	3
<b>DMX channels</b>	6/9/14
<b>Control</b>	DMX512-RDM-Manual
<b>Display</b>	OLED
<b>Operating consumption</b>	100-240 VAC, 50-60 HZ
<b>Power consumption</b>	220W @ max.
<b>DMX Connectors</b>	Stripped cable
<b>Type</b>	Outdoor
<b>Protection class</b>	IP66
<b>Power supply connector</b>	Stripped cable
<b>Housing and colour</b>	Die cast aluminium, black
<b>Cooling</b>	Natural convection and cooling fan
<b>Weight</b>	10,00KG
<b>Dimensions l x w x d (mm)</b>	333 x 259 x 245
<b>Warranty</b>	5 years

## Overview



1. Power supply IN (PowerCON TRUE1)
2. DMX IN
3. DMX OUT
4. Touch button «Mode / Up / Down / Enter»
5. Display

## Accessories



Snoot



Filter frame



Accessories holder



Barndoor



Flight-Case (x6 pcs)

## More about



## User manual & DMX Chart

